

Notice of Allowability	Application No. 09/825,273	Applicant(s) ENGELHARDT ET AL.
	Examiner Stephen Yam	Art Unit 2878

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address--*

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to September 3, 2003.
 2. The allowed claim(s) is/are 1,6 and 13-15.
 3. The drawings filed on 03 September 2003 are accepted by the Examiner.
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
 - (a) The translation of the foreign language provisional application has been received.
 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 8. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No. _____.
 - (b) including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
 - (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1 <input type="checkbox"/> Notice of References Cited (PTO-892) | 5 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____. |
| 3 <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No. _____ | 7 <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8 <input type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9 <input type="checkbox"/> Other |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Maria Eliseeva on December 2, 2003.

The application has been amended as follows:

In Page 10 of the specification, in the 8th full paragraph, "FIG. 6" should be replaced with --FIG. 5--.

In Page 10 of the specification, in the 9th full paragraph, "FIG. 7" should be replaced with --FIG. 6--.

In Page 11 of the specification, in the 1st full paragraph, "FIG. 8" should be replaced with --FIG. 7--.

In Page 11 of the specification, in the 2nd full paragraph, "FIG. 9" should be replaced with --FIG. 8--.

In Page 11 of the specification, in the 3rd full paragraph, "FIG. 10" should be replaced with --FIG. 9--.

In Page 14 of the specification, cancel the first full paragraph, starting with "Light 30 emitted from the light sources".

In Page 14 of the specification, in the 2nd full paragraph, "FIG. 6" should be replaced with --FIG. 5--.

In Page 15 of the specification, in the 1st full paragraph, "FIG. 7" should be replaced with --FIG. 6--.

In Page 15 of the specification, in the 2nd full paragraph, "FIG. 8" should be replaced with --FIG. 7--.

In Page 15 of the specification, in the 3rd full paragraph, "FIG. 9" should be replaced with --FIG. 8--.

In Page 16 of the specification, in the 1st full paragraph, in lines 1 and 19, "FIG. 10" should be replaced with --FIG. 9--.

In Claim 1, lines 5-6, remove "and propagating through the apparatus for combining light without being amplified".

In Claim 1, remove the period at the end of the claim with a comma, and add --wherein the light sources are pulsed laser light sources defining a pulse profile over time wherein the pulse profile over time is the characteristic property.—

Cancel Claim 12.

In Claim 13, replace "Claim 12" with --Claim 1--.

In Claim 14, replace "Claim 12" with --Claim 1--.

In Claim 15, replace "Claim 12" with --Claim 1--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen Yam whose telephone number is (703)306-3441. The examiner can normally be reached on Monday-Friday 8:30am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Porta can be reached on (703)308-4852. The fax phone number for the organization where this application or proceeding is assigned is (703)308-7724.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0956.

SY



DAVID PORTA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800